

## Gateway: Livitpay\_Cards

 **Disclaimer:** Please do not use any popups to ensure seamless integration

### Redirect Post API

POST URL: <https://true8.in/livit/cards/pay.php>

Send the values to the URL in POST method with the below mentioned parameters:

- \*transaction\_id = Transaction id for transaction, it should be unique
- \*amount = Amount for transaction (default INR)
  - \*Minimum Amount should be greater than or equal to 2
  - \*The amount must be in integer only
- \*currency = Currency value for the transaction  
13 for INR
- \*email = Email id of Account Holder
- \*first\_name = First name of the Account Holder
- \*last\_name = Last name of the Account Holder
- \*phoneNum = Phone number of Account Holder with + (country code) code
- \*billCountry = Country of the Account Holder
- \*billState = State of the Account Holder
- \*billCity = City of the Account Holder
- \*billAddress = Address of the Account Holder
- \*billAddress2 = Address of the Account Holder
- \*billStreet = Street of the Account Holder
- \*ipn = Your IPN number
- \*billZip = Zip of Account Holder
- \*callback\_url = Your callback url
- \*redirect\_url = Your redirect url

\*Note – All the above-mentioned fields are mandatory

## Request Example Using POST Method

```
$first_name=$_POST['first_name'];  
$last_name=$_POST['last_name'];  
$email=$_POST['email'];  
$phoneNum=$_POST['contact'];  
$billAddress=$_POST['address'];  
$address1=$_POST['address1'];  
$billCountry=$_POST['country'];  
$billState=$_POST['state'];  
$billCity=$_POST['city'];  
$billZip=$_POST['zip'];  
$amount=$_POST['amount'];  
$currency=$_POST['currency'];  
$transaction_id = 'Your Unique Transaction Id For each Transaction';  
$callback_url = 'URL of your Server where you would receive the Call Back Response';  
$redirect_url = 'URL of your Server where you would want to redirect after the  
completion of the Transaction';  
$ipn='IPN Provided to you';  
$url='API END POINT URL where you would send the data';
```

## Sending Data

```
$ch = curl_init();  
curl_setopt ($ch, CURLOPT_URL, $url);  
curl_setopt ($ch, CURLOPT_SSL_VERIFYPEER, FALSE);  
curl_setopt ($ch, CURLOPT_USERAGENT, "Mozilla/5.0 (Windows; U; Windows NT  
5.1; en-US; rv:1.8.1.6) Gecko/20070725 Firefox/2.0.0.6");  
curl_setopt ($ch, CURLOPT_TIMEOUT, 60); curl_setopt  
($ch, CURLOPT_FOLLOWLOCATION, 0); curl_setopt ($ch,  
CURLOPT_RETURNTRANSFER, 1); curl_setopt ($ch,  
CURLOPT_REFERER, $url); curl_setopt ($ch,  
CURLOPT_POSTFIELDS, $postdata); curl_setopt ($ch,  
CURLOPT_POST, 1);  
$result = curl_exec ($ch); echo  
$result; print_r($result);  
curl_close($ch);
```

Get the Result in POST Method format in the

## Callback URL Like:

### Success

```
("status"=>"Success","transaction_id"=>"12345687","paid_amount"=>"  
36.22")
```

### Declined

```
("status"=>"Declined","transaction_id"=>"12345687","paid_amount"=>"36.2  
2"," response"=>"authentication failed")
```

For example:

[https://livitpay.com/test/success.php?transaction\\_id=12345687&pai%20damount=1&status=Success](https://livitpay.com/test/success.php?transaction_id=12345687&pai%20damount=1&status=Success)

## Fetch Existing Record API

Send the following Parameters in Post format to:

POST URL: [https://bo.livitpay.com/fetch\\_record.php](https://bo.livitpay.com/fetch_record.php)

\*ipn = Your IPN number

\*client\_transaction\_id = Existing client transaction id

receive a json

```
{
  "client_transaction_id":"574505253",
  "grossPrice":"6.75 INR",
  "status":"Success"
}
```

as response

**\*Note – Use only if required to fetch existing record status**

## Important Notice

| Best Practices for Transactions   |  |
|---|--|
| Don't   | Do's   |
| Use Dummy Customer data for any transactions  | Use actual customer data for all transactions                    |
| Make UPI payment above INR 45000 in a single transaction  | Make UPI payment below INR 45000 in a single transaction         |
| Make Netbanking Payment above INR 80000 in a single transaction   | Make net banking payment below INR 80000 in a single transaction |
| Keep trying when experiencing transaction failure   | Wait for some time and try again                                 |
| Attempt more than twice when transaction is failed  | Attempt further transactions only when issue is resolved         |
| Use non-Indian mobile numbers   | Use Indian mobile numbers for all transactions                   |
| Test with higher amounts & spike up the volume in a single shot   | Test with minimal amounts & increase gradually                   |
|   |  |
|   |  |
| Payment Method  | Safe limits per transaction                                      |
| Wallets   | Under INR 25,000   |
| UPI   | Under INR 45,000   |
| Net Banking   | Under INR 80,000   |
|   |  |
| Safe transaction practices are the ones where you do it as an usual customer would do. Anything beyond that is going to trigger risk both at PSP and bank levels. |  |